

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup> :</b> <b>A23C 9/15, 15/16</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 97/04660</b> <b>(43) International Publication Date:</b> 13 February 1997 (13.02.97)
<b>(21) International Application Number:</b> PCT/EP96/03100 <b>(22) International Filing Date:</b> 9 July 1996 (09.07.96) <b>(30) Priority Data:</b> 95202059.2 27 July 1995 (27.07.95) EP <i>(34) Countries for which the regional or international application was filed:</i> NL et al.  <b>(71) Applicant (for all designated States except AU BB CA GB IE LK MN MW NZ SD):</b> UNILEVER N.V. [NL/NL]; Weena 455, NL-3013 AL Rotterdam (NL).  <b>(71) Applicant (for AU BB CA GB IE LK MN MW NZ SD only):</b> UNILEVER PLC [GB/GB]; Unilever House, Blackfriars, London EC4 4BQ (GB).  <b>(72) Inventors:</b> LANTING, Feico; Max Planckstrasse 14, D-89250 Senden (DE). BIGGEL, Albert, Johann; Ringstrasse 45, D-87435 Kempten (DE).		<b>(81) Designated States:</b> AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
<b>(54) Title:</b> DAIRY BASED SPREAD  <b>(57) Abstract</b>  Creamy cultured dairy based spread comprising less than 35 % fat, up to 4.5 % milk protein, up to 1 % structuring agent, gelatin, and usual acidifying agents, flavourants and cheese additives like herbs and spices, the product being water continuous, having a pH value between 4.6 and 5.2, a Stevens value of 200 to 500 at 5 °C and of 50-250 at 20 °C and a method of preparing same.		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

## DAIRY BASED SPREAD

The invention relates to a creamy cultured dairy based  
5 spread suitable as a table spread for use on bread or  
crackers, and which spread is prepared from a dairy base,  
such as cream, milk, and the like, and butter-fat, e.g.  
such being present in cream, which is then cultured, and  
heated to stop further acidification.

10

Products prepared in such a manner have been described in  
British Patent Specification GB 1 261 910. In this  
document, spreads are described which are obtained by  
dispersing skim milk powder in water, adding molten butter,  
15 adding a culture cooling and re-pasteurizing. The products  
have a fat content of about 45%, and have a whey/casein  
ratio as found in milk (which is about 0.2). The products  
obtained have a fresh-cheese like texture and taste.

20 In DE 2 300 663, low calorie spreads are described prepared  
by pasteurizing skimmed milk, pasteurizing, homogenizing  
and cooling, mixing with lactic acid cultures and  
structuring agents, and then filling cups or tubes, and  
cooling it a pH of about 4.8. Such product is even when  
25 refrigerated prone to post-souring, and flocculation will  
occur easily, accompanied by visible whey separation.

The present invention aims at water-continuous spreads  
which are very suitable as butter-replacement for cold  
30 uses, such as spreading on bread or toast, as an  
underlayer.

Accordingly, the present invention regards a creamy,  
cultured dairy based water continuous spread comprising  
35 less than 35% fat, up to 4.5% milk protein, gelatin or a

gelatin replacer, optionally up to 2% structuring agent, the spread having a pH value between 4.6 and 5.2, and a Stevens value hardness at 10°C of 200-500 g and of 50-250 g at 20°C, a whey to casein weight ratio higher than in milk, and the spread having a butter-like mouthfeel, texture and taste.

In a more preferred embodiment, the present invention regards a creamy, cultured dairy based water continuous spread comprising less than 35% fat, up to 4.5% milk protein, gelatin, optionally up to 2% structuring agent, the spread having a pH value between 4.6 and 5.2, and a Stevens value hardness at 10°C of 200-500 g and of 50-250 g at 20°C, a whey to casein weight ratio higher than in milk, and the spread having a butter-like mouthfeel, texture and taste.

Accordingly, the present invention provides a water-continuous, low fat spread having butter like taste and texture characteristics. The presently claimed spread derives its taste from having been cultured, i.e. at least part of the dairy ingredients having been subjected to the influence of acidulating micro-organisms like lactic acid bacteria, cheese starter cultures etc. Unlike fresh cheese, the product of the present invention has a very rich, milky taste with a creamy and butter-like impression, and hence, shows high similarity to butter.

In this description and claims the expression "spread" is intended to mean a plastic, spreadable product which can be applied onto bread at room temperature without tearing the bread. The spreads of the present invention have a Stevens value of 200-500 g at 10°C and 50-250 at room temperature (about 20°C). The expression "dairy based" refers to

products of which at least 90% of the solids are derived from milk.

It is an object of the invention to provide a dairy based spread product having a fat content below 35% giving an organoleptic impression of containing considerably more fat and having a consistency comparable to that of conventional butter and butter-like spreads such as margarine. In comparison to butter, the product of the present invention is spreadable onto bread without tearing it apart at a broad temperature range, ie. at temperatures varying from refrigerator temperature (about 5°C) to room temperature (20°C) and above (30°C).

It is also an object to provide a mildly, neutral tasting product having a closed keepability of several weeks. In a preferred embodiment, the products of the invention have a closed keepability of 8 week or more, which means that no change of taste and structure occurs on storage for such a period.

Fresh cheese based products are available on the market which have pH values below 4.6; these products show an inherent acid impression on eating. Furthermore, the fresh cheese products available have the typical cheese like texture and are more "mousse-like" than the butter-like product presently found, often were found to show syneresis and provide a more sandy impression upon spreading and eating than butter and than the product of the present invention. Furthermore, a more sweet and less sour impression is obtained upon eating the product of the present invention compared to the presently available products. Melting behaviour in the mouth, and mouthfeel of the product of the present invention is clearly different than that of prior art products.

- Surprisingly, it was found that butter like products can be obtained which can be used as a replacement for butter which benefit the pleasant characteristics of butter, such as fatty impression, dairy taste, milky taste and
- 5    aftertaste, still neutral and hence, very suitable for use as an underlayer on bread, toast, and the like, and which has a better spreadability than butter at the colder users temperature range.
- 10   The present product is obtained by fermenting a dairy base with lactic acid type of cultures such as those which are normally used for acidification of milk products. Examples of such lactic acid type of cultures are *Streptococcus lactis*, yoghurt cultures such as *Streptococcus*
- 15   *thermophilus*, *Lactobacillus delbrueckii* subspecies *bulgaricus*, and *Lactobacillus helveticus*. In a preferred embodiment of the invention, *Streptococcus thermophilus* and *Lactobacillus bulgaricus* are used. The fermentation is stopped in a suitable manner - such as by heating - at a pH
- 20   value between 4.0 and 5.2, and preferably at a pH value between 4.6 and 5.2. The cultures used are no longer active in the end product to be obtained. The product of the invention has a pH value between 4.6 and 5.2, preferably between 4.7 and 5.2, and most preferred between 4.8 and
- 25   5.0.

The expression "cultured micro organisms" as used in this description and claims is intended not to comprise any microorganisms which not unusually are unintendedly present

30   in dairy products despite hygiene-measures aiming to prevent that. The product of the invention can contain some spore formers which are not destroyed by pasteurization, but cannot grow under the chilled storage conditions used for the presently claimed products.

The product will have a whey protein to casein weight ratio which is higher than that found in milk. It was found that the combination of whey protein concentrate which has been added to the product in addition and in combination with  
5 the whey protein present in the dairy ingredients used provides a very good water binding. By adding undenatured whey protein, and processing such as homogenizing and heating, in combination with the specific pH as now claimed, a product is obtained showing very little or no  
10 syneresis and a very specific, butter comparable texture. Preferably, the ratio whey protein to casein in the product preferably ranges between 0.7 and 1.0.

For obtaining the required spreadability and mouthfeel some  
15 gelatin will suitably be present. The product comprises at least 0.5 wt% gelatin (based on total weight of the product), and further preferred at least 0.6 wt%. No further beneficial effect was observed for levels above 2%, compared to 2% levels. It was found that if gelatin of a  
20 bloom strength of 250, the best products are obtained if 0.8 - 1.2 wt% gelatin is used, based on fat free material. Preferred is to use 1.1 wt% gelatin. If gelatin of another bloom strength is used, other weight ranges are applied providing an equivalent structuring performance. As these  
25 days it is sometimes desired to have no gelatin present in consumer products, a very specific embodiment of this invention allows that instead of gelatin, a so called gelatin replacer is used. Gelatin replacers are components or compositions which have similar mouthfeel behaviour, and  
30 similar performance, such as water binding and melting properties compared with gelatin. Examples of suitable gelatin replacers are described in, inter alia, European Patent Application EP 496466 and in EP 474299 and are often very specific or specifically treated components or

compositions. Amounts used are in addition to those indicated for the structuring agent below.

- The product contains less than 4.5 wt% of milk protein. It was found that if more protein is present, a thick, cheese-like product is obtained. Preferably, the milk protein level ranges between 2 and 4.5 wt%, preferably between 2.3 and 4.2 wt%, and most preferred between 2.7 and 3.9 wt%.
- 10 The fat level of the product of the invention is below 35 wt%, the fat present being substantially dairy fat. Preferably the spread comprises less than 30 wt% and particularly less than 28 wt% fat. Suitably, the product will contain more than 15 wt% of fat.
- 15 The fat present in the product can suitably be obtained from the dairy source used, such as cream, whole milk, protein enriched milk, concentrated milk, filled milk and mixtures of two or more thereof, the use of cream as at least one fat source being preferred.
- 20 The dairy source which is used for obtaining the presently claimed products can, in addition to those mentioned above, also be skim milk.
- 25 Optionally, up to 1%, and preferably up to 0.5%, based on the total weight of the end product, of a structuring agent not being a protein is present. Examples of such agents are locust bean gum, carboxy methyl cellulose, xanthan, guar gum, alginate or combinations thereof. Other suitable
- 30 agents not mentioned here can be applied as well. Although higher amounts of such a structuring agent can be applied, the presence in higher amounts will negatively influence the taste and mouthfeel of the product.
- The spreadability may very suitably be controlled by adding
- 35 the structuring agent in such amount that the final product



will get a Stevens value at 10°C (method for determination defined in this specification) between 200 and 500 g and in particular between 225 and 400 g.

- 5 Optionally, usual additives for spreads such as salt, herbs, spices, flavours, colouring matter, preservatives and the like may be added, although it is believed that for obtaining a suitable underlayer, butter like spread none of these is needed. Normally, for use as a butter like spread  
10 at least some salt will be added.

The invention also provides a process for obtaining a product according to the invention, the process comprising  
15 the pasteurizing of cream, skim milk, whole milk, concentrated milk, filled milk and mixtures of two or more thereof, additional whey protein and, optionally, structuring agent, cooling down to culturing temperature, inoculating with an acidulating bacteria culture and  
20 fermenting until a pH of less than 5.5, preferably less than 5.2 is obtained, controlling the pH value to  $\geq 4.5$ , preferably to a pH value  $\geq 4.6$ , and further preferred  $\geq 4.8$ , optionally adding additional cream, sweet cream, or other dairy product listed above, until a pH value of 4.6  
25 to 5.2 is obtained, homogenizing the resulting product at 50-600 bar, preferably between 75 and 400 bar, and further preferred between 100 and 300 bar while at a temperature above 35°C until the required structural properties are obtained, the components not listed here, for example such  
30 as the gelatin or gelatin replacer, preservatives and the like if so desired being added at any suitable moment in this process.

In the process, acidifying and homogenization can be carried out in any order. It is preferred to homogenize at a temperature above 60°C.

- 5 For obtaining an increased closed keepability the spread is filled into containers while at a temperature in excess of 65°C which containers then are hermetically sealed. By filling at a temperature in excess of 70°, a still better keepability is obtainable. By this higher temperature, the  
10 shelf life of the product in the closed container can be 8 weeks or even more.

The invention will be exemplified in the following examples of some practical embodiments thereof. Percentages used in  
15 the description, examples and claims refer to weights, unless expressly indicated otherwise.

The "Stevens" hardness St, expressed in grams, was determined 1 week after manufacturing the product when  
20 stored at 5°C and thereafter equilibrated for 24 hours at the temperature of 9 or 11°C as indicated, using a 0.5 inch Ø cylinder in a Stevens-LFRA Texture Analyzer (ex Stevens Advanced Weighing Systems, Dunmore, U.K.) load range 1000 g operated "normal" and set at 20 mm penetration depth and  
25 1.0 mm/s penetration rate. In the present document room temperature means 25°C.

For a better understanding of the invention some preferred embodiments thereof will be described. Parts and  
30 percentages are by weight unless indicated otherwise.

#### Example 1

90 parts dairy cream standardized to a fat content of 26% are pasteurized at 85°C for about 10 minutes, such that  
35 denaturation of the whey protein occurs, and mixed with a

solution of 0.8 parts gelatin, 0.8% parts whey protein concentrate 70% and 0.3% parts salt, dissolved in 8 parts skim milk.

After cooling down to a suitable temperature for culturing, a common acidulating culture is added, whereafter the fermentation is allowed to proceed until a pH value of about 4.8 is reached. The fermentation is stopped by heating to 80°C.

The product so obtained is homogenized at 100 bar, filled in 1/2l containers, cooled down to below 10°C and stored at chill temperatures.

A smoothly spreadable product is obtained having a Stevens value of 300 to 330 at 10°C.

15

#### Example 2

The process of Example 1 is repeated with the difference that the fermentations stopped after a pH value of 4.3 is reached. Thereafter circa 20% sweet dairy cream having a fat content of 40% is added, until the pH value is between 4.7 and 4.8.

For flavouring purposes, additives like spices, herbs, nuts, fresh, preserved or dried fruits could be mixed into the spread of the present invention.

#### Example 3

Dairy cream (90 parts by weight) was standardized to a fat content of 30% by the addition of skimmed milk. 1.75 wt% whey protein concentrate (70% protein) and 0.3% locust bean gum were added, whereby, after mixing, the obtained composition was pasteurized at 85°C for about 10 minutes. The composition was cooled down to culturing temperature, and mixed with a pasteurized solution of 0.7 wt% gelatin, 0.3 wt% kitchen salt, carotene and skim milk, so that the

fat content of the mixture obtained was 26%. Then, a first homogenization step was carried out at elevated pressure. To the obtained homogenized composition, a yoghurt culture was added, whereafter the fermentation was allowed to proceed until a pH value of about 4.8 was reached. The fermentation was then stopped by heating to 60°C. The product so obtained was then homogenized once more at elevated pressure, and heated to a temperature of 75°C for filling into 150 g containers, cooled down to below 10°C and stored at chill temperature. The hardness was measured according to the procedure described above and found to be 337 g, the pH of the product was 4.83. The dairy protein content was 3.8%, the fat content 26%. The product was then tested for its performance. Test method and results are indicated under "Quantitative Descriptive Analysis test".

For comparison, products were obtained from the supermarket in Germany and compared to the product of the present invention. The products were sold under the names "Rotkäppchen", "Aufs Brot", and "Yella"

Composition analysis were performed and listed below in Table A.

TABLE A

	ROTKÄPPCHEN	AUFS BROT	YELLA
25 pH	4.5	4.65	4.52
fat	25.2	22	27.5
dairy protein	4.05	2.8	2.4
whey protein/ casein	1.17	0.21	0.20
30 hardness	235	135	223
gelatin	yes	no	yes

The viscosity of all products was measured using a Carri-med CSL 500 reometer. The reometer has a cone-plate geometry (diameter of the cone was 4 cm, cone angle was  $2^\circ$ ). The viscosity was measured using a shear rate  $\dot{\gamma}$  of  $10 \text{ s}^{-1}$  and the temperature T being  $20^\circ\text{C}$ . Results are indicated in Table B.

Sample	viscosity ( $\dot{\gamma}$ of $10 \text{ s}^{-1}$ )
Ex. 3 (invention)	55 Pa.s
10 Rotkäppchen	33 Pa.s
Aufs Brot	23 Pa.s
Yella	22 Pa.s

15

#### Quantitative Descriptive Analysis test

The product obtained at Example 3 and the commercial available products were subjected to a consumer test. Hereto, 16 women, screened at several tests for

20 identification of the basis tastes and more or less familiar odours, recognition of odours and tastes, and verbal creativity were selected. The panellists were trained extensively in describing and assessing the sensorial aspects of Dairy based spreads. The attributes

25 were categorised in appearance (16 attributes), spreading behaviour, including the appearance during spreading (12 attributes), odour (8 attributes), mouthfeel (13 attributes), taste (32 attributes), aftertaste (10 attributes), and after-mouthfeel (3 attributes). At the end

30 of the training period, test results showed that the attributes were suitable to distinguish reliably between the products. 16 panellists took part in the experiment.

The spreads were presented two times in balanced test design under normal daylight conditions at a temperature of about 10°C. A score between 0 and 100 was given for each attribute, the total of the scores of all participants was  
5 calculated and divided by 16, and so the mean score was obtained. An analysis of variance with product and presentation as factors was performed to see which products were different. Significance was found where  $p < .10$

- 10 No products available on the market were found to be offered as butter like spreads. "Aufsbrot" is indicated as product AB, "Rotkäppchen" as RK, and "Yella" as YE

From testing on spreadability, taste, appearance and  
15 aftertaste, it became clear that the product according to the invention had the best similarity to butter. The average score for the mouthfeel impression being described as "fat" scored 47, compared with 20 (AB), 31 (RK) and 32 (YE) of the products on the market. On taste  
20 scoring, the taste sensation described as "cream" scored 41, compared to 33 (AB), 31 (RK) and 28 (YE) for the products on the market. An aftertaste impression indicated as "milk" the product of Example 3 scored 44, compared to 33 (AB), 33 (RK) and 31 (YE) for the marketed products,  
25 whereas the aftertaste impression indicated as "butter" scored 31 for the product of the invention and 25 (AB), 24 (RK) and 19 (YE) for the marketed products. Thus, the product of Example 3 had on issues most important for butter similarity items scores of 47, 41, 44 and 31,  
30 compared to for AB: 20, 33, 33 and 25; for RK: 31, 31, 33 and 24; and for YE: 32, 28, 31, and 19.

The test clearly showed that the product of the invention had the highest scores on taste attributes such as milk\*, cream, butter and sweet and the lowest scores on sourlike  
35 attributes like yogurt, buttermilk and lemon, and also on

cheese. Furthermore, the product of the invention was significantly less sandy and mousse like than commercial products, and provided the best scores on butter- and margarine-like mouthfeel. The commercial products all  
5 scored significantly higher on cheese-like attributes.

\* significant differences ( $p < .1$ ) found with Aufs Brot and Yella. Scored better than Rotkappchen, but the difference was not significant.

## CLAIMS

1. Creamy, cultured dairy based water continuous spread comprising less than 35% fat, up to 4.5% milk protein, gelatin or a gelatin replacer, optionally up to 2% structuring agent, the spread having a pH value between 4.6 and 5.2, and a Stevens value hardness at 10°C of 200-500 g and of 50-250 g at 20°C, a whey protein to casein weight ratio higher than in milk, and the spread having a butter-like mouthfeel, texture and taste.
2. Spread according to claim 1, wherein gelatin is present.
3. Spread according to claim 2, wherein at least 0.5 wt% gelatin is present.
4. Spread according to any one of claims 1 to 3, wherein the spread comprises less than 30% fat and preferably less than 28%.
5. Spread according to any one of claims 1 to 4, wherein the spread has a pH value of at least 4.7 and preferably between 4.8 and 5.0.
6. Spread according to any one of claims 2 to 5, wherein the spread comprises up to 0.8 to 1.2% and preferably 0.9 to 1.1% by weight of gelatin of a bloom strength of 250 or, if other gelatin is applied, in amounts providing equivalent structuring, the weight amount indicated being based on fat-free material present in the product.



7. Spread according to any one of claims 1 to 6, wherein the spread comprises 2.3 to 4.2 wt% milk proteins.
8. Spread according to any one of claims 1 to 7, wherein the ratio whey protein to casein ranges between 0.7 and 1.0.
9. A process for obtaining a product according to any one of claims 1-8, comprising the pasteurizing of cream, skim milk, whole milk, concentrated milk, filled milk and mixtures of two or more thereof, additional whey protein and, optionally, structuring agent, cooling down to culturing temperature, inoculating with an acidulating bacteria culture and fermenting until a pH of less than 5.5, preferably less than 5.2 is obtained, controlling the pH value to  $\geq 4.5$ , preferably to a pH value  $\geq 4.6$ , and further preferred  $\geq 4.8$ , optionally adding additional cream, sweet cream, or other dairy product listed above, until a pH value of 4.6 to 5.2 is obtained, homogenizing the resulting product at 50-600 bar, preferably between 75 and 400 bar, and further preferred between 100 and 300 bar while at a temperature above 35°C until the required structural properties are obtained, the components not listed here being added at any suitable moment in this process.
10. A process according to claim 9, wherein a homogenization step is carried out prior to adding a culturing agent.
11. A process according to any one of claims 9 to 10, wherein the spread is filled into containers while at a temperature in excess of 65°C which containers then are hermetically sealed.

## INTERNATIONAL SEARCH REPORT

International Application No

PC1/EP 96/03100

A. CLASSIFICATION OF SUBJECT MATTER  
IPC 6 A23C9/15 A23C15/16

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 A23C

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	FR,A,2 014 742 (UNILEVER) 17 April 1970	1-3,5,
Y	see page 2 - page 4; claims 1-5,15; example 6	7-10 11
A	DE,A,33 24 821 (A. OETKER) 17 January 1985 see page 5 - page 6; claims 1-9	1-13
Y	US,A,4 772 483 (J. NOLTE) 20 September 1988 see claims 1-3; example 1	11
A	DE,A,23 00 663 (MOLKEREI BORKEN GMBH) 11 July 1974 cited in the application see the whole document	1-11
	---	
	-/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

## \* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the international search

25 November 1996

Date of mailing of the international search report

06.12.96

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax (+31-70) 340-3016

Authorized officer

Desmedt, G

## INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 96/03100

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP,A,0 340 857 (COÖPERATIEVE CONDENSFABRIEK FRIESLAND) 8 November 1989 see claims 1-4; example 3 ---	1-11
A	EP,A,0 283 101 (DMV-CAMPINA) 21 September 1988 see claims 1-5; examples 1,2 ---	1-11
A	US,A,4 177 293 (LADISLAV FORMAN ET AL.) 4 December 1979 see claims 1-9,11; example 1 ---	1-11
A	WO,A,93 17565 (UNILEVER) 16 September 1993 ---	
A	US,A,1 605 009 (T. SPAETH) 2 November 1926 -----	

## INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 96/03100

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
FR-A-2014742	17-04-70	AT-A- 294544	15-10-71
		BE-A- 736620	26-01-70
		DE-A- 1937484	27-08-70
		GB-A- 1261910	26-01-72
		NL-A- 6911362	29-01-70
		SE-B- 359222	27-08-73
		US-A- 3749583	31-07-73
DE-A-3324821	17-01-85	NONE	
US-A-4772483	20-09-88	NONE	
DE-A-2300663	11-07-74	NONE	
EP-A-340857	08-11-89	NL-A- 8801149	01-12-89
		KR-B- 9609178	16-07-96
		PT-B- 90405	31-08-94
EP-A-283101	21-09-88	NL-A- 8700661	17-10-88
US-A-4177293	04-12-79	NONE	
WO-A-9317565	16-09-93	AU-B- 667350	21-03-96
		CA-A- 2131451	16-09-93
		CZ-A- 9402150	18-01-95
		EP-A- 0627884	14-12-94
		HU-A- 73340	29-07-96
		SK-A- 105894	08-02-95
		ZA-A- 9301596	05-09-94
US-A-1605009	02-11-26	NONE	